

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

McElroy Metal, Inc. 1500 Hamilton Road Bossier City, LA 71111

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: "PBR-Panel" 0.023" (min.) Steel Structural Roof Panel

APPROVAL DOCUMENT: Drawing No. E, titled "PBR - Roof Panel", sheets 1 through 5 of 5, prepared by McElroy Metal, Inc. Engineering Services Dept., signed and sealed by Terrence E. Wolfe, P.E. on October 29, 2008, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and the expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each panel shall bear a permanent label with the manufacturer's name or logo:

1500 Hamilton Road

9700 Interstate 20

253 One Georgia Drive

460 Clay Road

Bossier City, LA 71111

Merkel, TX 79536

Ashburn, GA 31714

Sunnyvale, TX 75182

and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 13-1024.02 and consists of this page 1, evidence submitted pages E-1, E-2, & E-3 and approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.



Hel A. M. M. 05/19/2016

NOA No. 15-1013.07 Expiration Date: 12/04/2018 Approval Date: 05/19/2016 Page 1

McElroy Metal, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL #08-1007.06

A. DRAWINGS

1. Drawing No. E, titled "PBR - Roof Panel", sheets 1 through 5 of 5, prepared by McElroy Metal, Inc. Engineering Services Dept., signed and sealed by Terrence E. Wolfe, P.E. on October 29, 2008.

B. TESTS

- 1. Test report on Large Missile Impact Test on PBR Roof Panel, prepared by Farabaugh Engineering and Testing, Inc., Report No. T296-07, dated April 22, 2008, signed and sealed by Daniel G. Farabaugh, P.E.
- 2. Test report per ASTM 1592 on PBR Roof Panel, Report No. T232-08, dated August 25, 2008, prepared by Farabaugh Engineering and Testing, Inc., signed and sealed by Daniel G. Farabaugh, P.E.
- 3. Test report on Accelerated Weathering Testing of Coating 2000 hours per ASTM G26-96, prepared by PRI Asphalt Technologies, Report No. VLS-001-02-02, dated January 19, 2004, signed and sealed by Charles L. Thomas, P.E.
- 4. Test report on Salt Spray Testing of Coating 1000 hours per ASTM B117-95, prepared by PRI Asphalt Technologies, Report No. VLS-001-02-01, dated January 19, 2004, signed and sealed by Charles L. Thomas, P.E.
- 5. Susceptibility to leakage test in accordance with FM 4471, Appendix G, prepared by Farabaugh Engineering and Testing, Inc., Report No. T308-07, dated April 22, 2008, signed and sealed by Daniel G. Farabaugh, P.E.

C. CALCULATIONS

1. Calculations titled "PBR Panel, 24 Ga.", 6 pages, prepared by Terrence E. Wolfe, P.E., signed and sealed by Terrence E. Wolfe, P.E. on October 29, 2008.

D. QUALITY ASSURANCE

1. By Miami-Dade County Building Code Compliance Office.

E. MATERIAL CERTIFICATIONS

1. Tensile Test, prepared by West Penn Material Evaluation, dated September 12, 2007.

2. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 09-0504.07

A. DRAWINGS

1. None.

B. TESTS

1. None.

Helary A. Makar, P.E., M.S. Product Control Section Supervisor

NOA No. 15-1013.07 Expiration Date: 12/04/2018

Approval Date: 05/19/2016

McElroy Metal, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Building Code Compliance Office.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- 3. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 13-1024.02
- A. DRAWINGS
 - 1. None.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. Letter of compliance with the Florida Building Code, 2010 Edition, prepared by Force Engineering & Testing, Inc., dated October 04, 2013, signed and sealed by Terrence E. Wolfe, P.E.
- 4. NEW EVIDENCE SUBMITTED
- A. DRAWINGS
 - 1. None.
- B. TESTS
 - 1. None.

Helmy A. Makar, P.E., M.S.

Product Control Section Supervisor

NOA No. 15-1013.07

Expiration Date: 12/04/2018 Approval Date: 05/19/2016

McElroy Metal, Inc.


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED


- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.
- F. STATEMENTS
 - 1. Letter of compliance with the Florida Building Code, 2014 Edition, prepared by Force Engineering & Testing, Inc., dated September 08, 2015, signed and sealed by Terrence E. Wolfe, P.E.


Reimy A. Makar, P.E., M.S. Product Control Section Supervisor

NOA No. 15-1013.07


Expiration Date: 12/04/2018 Approval Date: 05/19/2016







R-PANEL FRAMING AND TRIM SCREW PATTERNS



DETAIL

® RIDGE

PRODUCT REVISED
as complying with the Florida
Building Code Acceptance No 5-10/3 Expiration Date 12/04/

PRODUCT RENEWED as complying with the Florida Building Code Acceptance No 13-1024.02 Expiration Date 12/04/2018

PRODUCT REVISED
escomplying with the Florida
Briding Code
Acceptance No. 09 - 0504 - 07
Expliration Date 12 / 04/20/3

Approved so complying with the Florido Belding Code / 2008
Rock 12 / 04 / 2008
Rock 0 8 - 1007 - 2 6
Mismi Dade Product Control
Birislon / 1 / 1

MCELROY I


DADE COUNTY TESTING
PBR-PANEL WATERHEAD TEST
MCELROY METAL, INC.
MAN'F. ENG.: TERRENCE E. WOLFE, P.
FL REGISTRATION #: 44923

SCALE: N.T.S.


DATE: 8/11/07 OWNL BY: J. PURDY


HKO BY: E. OSTE OG HO:

E2 of 5 DEC SERVICE MED



OCT 2.9 2008





1. THE MAXIMUM UPLIET DESIGN PRESSURE SHALL BE CALCULATED USING THE FOLLOWING ALLOWABLES,

A) MAXANU ALLOWABLE BENEXING MOMENT OF THE PANEL AT SUPPORTS = 119.75 FT. US. 8) MAXIMUM ALLOWABLE BENOME MOMENT OF THE PANEL BETWEEN SUPPORTS = 85.8 FT. LB.
C) MAXIMUM ALLOWABLE DEFLICTION OF ROOF PANEL = 1/240

D) MAXIMUM SUPPORT REACTION = 95.8 LBS. EXT. = 263.45 LBS. NT.

E) El = 1.4276 X 10 LB-RC

- NEGATIVE PRESSURE

A) MAXAGUM ALLOWABLE BEHOMO MOMENT OF THE PANEL AT SUPPORTS = 108.75 FT. LB. B) MAXIMUM ALLOWARIE BENCHYS MOMENT OF THE PANEL BETWEEN SUPPORTS = 85.4 FT. LB.

C) MAXIMUM ALLOWABLE DEFLECTION OF ROOF PAREL - 1/240

O) MAXIMUM SUPPORT REACTION = 85.4 LBS, EXT.

= 234,85 LBS, INT. E) EI = 1.2728 X 101 LB-M

2. THE MAXMUM ALLOWABLE SPAYS & PRESSURES ARE AS FOLLOWS:

- POSTME PRESSURE.

SPAN 5'-0" 2'-0" 47.9 PSF

- NEGATIVE PRESSURE

PRESSURE SPAN 5'~0" 2'-0" 42.7 PSF 117.65 PSF

> PRODUCT RENEWED as complying with the Florida Building Code Acceptance Na/3-102 Expiration Date 12/04

PRODUCT REVISED es complying with the Florida Building Code
Acceptance No.09 - 0504.07
Expiration Dato 12/04/2013

Division

Approved en comptyleg with the Merida Bailing Code

Nate 12/04/2008

NOA# 0B-1007-06

Miami Date Product Coaffee

INC

MCELROY METAL, ENGINEERING SERVICES 1

ц DADE COUNTY TESTING
PBR-PANEL WATERHEAD TEST
MCELROY METAL, INC.
MAN'F. ENG.: TERRENCE E. WOLFE, P.
FL REGISTRATION #: 44923

SCALE: N.T.S. DATE: 6/11/07 OYMI.BY: J. PURDY

CHKO BY: E.OSTEI LOG NO:

E5 of 5

36" ±1/16" COVERAGE

PBR-PANEL

PANEL

THICKNESS

.023 (MIN.)

PANEL.

GAUGE

24

ASTM

A792

PRODUCT REVISED as complying with the Florida Building Code

Acceptance No 15-10/3.07 Expiration Date 12.104 /2018

PANEL ACCESSORIES

I/4-14 X T/8" UP/TEX ZAC BY SES BITTS • SEE HOTE BELOW

SKALASTOWER 511 TUBE SEALINE BY SIXA



SKAPLEX 201 UNETHANE TUBE SEALAHT BY SEA

PANEL PROPERTIES PAINT STEEL TENSILE YEILD COATINGS COATING STRENGTH STRENGTH AZ 55 (BARE) 65 KSI (MIN.)

1/8" X 1" BUTAL ROLL TAPE SEALAHT BY: SCHNEE-HONDEAD

OCT 29 2008

· a a cum

50 KSI (MIN.)

AZ 50 (PAINTED)

KYNAR 500

POPULATION OF THE PROPERTY OF

1/4-14 X 1 1/4" FDC2 Z/G BY: SFS INTCO SEE NOTE BELOW